EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	0	compar\$5 adj source adj (MAC (media adj access adj control)) adj address same indentify \$5 same (device node) same network same router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/28 14:19
L8	0	compar\$5 adj source adj (MAC (media adj access adj control)) adj address and indentify \$5 same (device node) same network same router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/28 14:20
L9	27	compar\$5 adj source adj (MAC (media adj access adj control)) adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/28 14:21
L10	2668	(router (default adj gateway)) same (MAC (media adj access adj control)) adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/28 14:28
L11	54	(identify\$5 recogni\$5) same (home foreign) same network same (source destination) and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/28 14:29
L12	29	(authenticat\$5) same (home foreign) same network same (source destination) and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/28 15:12
L13	13	("5426637" "5623601" "5636216" "5751971" "5757924" "5781550" "5793763" "5802047" "5802053" "5802285" "5835710" "5856974" "5862344").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/28 15:26

L14	274	(router (default adj gateway)) same (MAC (media adj access adj control)) adj address same compar\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/28 15:28
S1	O	(determin\$5) same network near5 domain same compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:24
S2	109	(determin\$5) same network same compar \$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:25
S3	5	(determin\$5) same home near3 network same compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:25
S4	7	home near3 network same compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:33
S5	18	local near3 network same compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:37
S6	104	home near3 network and compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:55
S7	10	home near3 node and compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:57

S8	0	home near3 node same compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:57
S9	2	home near3 network and compar\$5 near6 MAC adj address and 10/002910	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:07
S10	0	determin near3 network with compar\$5 near6 MAC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:16
S11	0	determin near3 network with compar\$5 near6 media adj control adj access adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:16
S12	0	determin near3 network same compar \$5 near6 media adj control adj access adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:17
S13	0	determin near3 locality same compar\$5 near6 media adj control adj access adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:17
S14	0	locality same compar\$5 near6 media adj control adj access adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:17
S15	0	local\$5 same compar\$5 near6 media adj control adj access adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:17

S16	0	determin near3 locality same compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:18
S17	3	locality same compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:18
S18	0	(locality same compar \$5 near6 MAC adj address).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:18
S19	4	locality same compar\$5 same MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:19
S20	1	11/063498	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:23
S21	0	determin near3 (intranet internet) same compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:25
S22	686	compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:25
S23	4	(local near4 node) same compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:26

S24	10	compar\$5 near6 MAC adj address near10 gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:29
S25	2	"6859212".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:32
S26	28892	compar\$5 near6 MAC adj address same client sma egateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:48
S27	145701	compar\$5 near6 MAC adj address same client sma gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:48
S28	4	compar\$5 near6 MAC adj address same client same gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:48
S29	1	compar\$5 near6 MAC adj address with proxy with client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:51
S30	1	compar\$5 near6 MAC adj address with proxy with gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:52
S31	1	compar\$5 near6 MAC adj address same proxy same gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:52

S32	3	compar\$5 near6 MAC adj address same proxy same client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:53
S33	23	compar\$5 near6 MAC adj address same source adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:54
S34	2	compar\$5 near6 MAC adj address same source adj address same (home local)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:55
S35	0	compar\$5 near6 source adj MAC adj address same gateway adj address same loca	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 15:03
S36	0	compar\$5 near6 source adj MAC adj address same gateway adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 15:04
S37	4	compar\$5 near6 MAC adj address same gateway adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 15:04
S39	3	determin\$5 near8 network same compar \$5 near6 MAC adj address and gateway adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 15:06
S40	1	10/223844	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 15:10

S41	18	2002/0046299	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 08:32
S42	2	"20020046299"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 08:41
S43	49	(prioritiz\$5 index\$5) with search\$ with (count frequency) with keyword	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 08:45
S44	2	"6493744".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 10:01
S45	23	gateway same compar \$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 10:30
S46	4	"2003018491"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 10:47
S47	0	gefault adj router same compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 10:49
S48	0	default adj router same compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 10:49

S49	93	router same compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/08/19 10:49
S50	33	router with compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 10:49
S51	4	determin\$5 with home with network same compar\$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 11:02
S52	1	home with network same compar\$5 near6 source adj MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 11:14
S53	1	home with network same compar\$5 near6 router adj MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 11:14
S54	1	source adj mac adj address same network same compar\$5 near6 router adj MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 11:15
S55	1	source adj mac adj address same compar \$5 near6 router adj MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 11:15
S56	132	source adj mac adj address same router adj MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 11:16

S57	2	home with network same source adj mac adj address same router adj MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 11:17
S58	4	determin\$5 with home with network with source adj MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 12:55
S59	4	determin\$5 with device with home with network with MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 12:56
S65	399	determin\$5 with device with network with MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 13:30
S66	19	authenticat\$5 with mobile with MAC adj address with (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 13:31
S67	0	identify\$5 with network with mobile with MAC adj address with (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 13:35
S68	83	network with mobile with MAC adj address with (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 13:35
S69	113	authenticat\$5 with MAC adj address with (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 13:37

S72	36044	((peer near4 peeer) peer-to-peer p-to-p p- p)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 15:15
S73	4533	stor\$5 with (history statistic\$5) with transmit\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 15:16
S74	4	stor\$5 with (history statistic\$5) with transmit\$5 same S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/19 15:16
S75	10	("5371734" "5689245" "5771463" "5822682" "5903618" "5995500" "6084919" "6415146" "6484027" "6580704").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/19 15:21
S76	64	determin\$5 near10 network same compar \$5 near6 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 12:16
S77	10	determin\$5 near10 network same compar \$5 near6 MAC adj address same router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 12:18
S78	2	determin\$5 near10 network same compar \$5 near6 MAC adj address same default adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 12:35
S79	4	compar\$5 near6 MAC adj address same default adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 12:35

COO	60077	lood poort0 balanet10	HE DODLID:	OP	ONI.	2000/00/27
S 80	69077	load near10 balanc\$10 among near10 DNS adj2 servers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 12:41
S81	29666	load adj balanc\$10 among near10 DNS adj2 servers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 12:43
S82	23	load with balanc\$10 with among with DNS adj2 servers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 12:43
S83	2	"20040103194"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 12:46
S84	7	compar\$5 near6 MAC adj address adj3 device same router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 12:53
S85	4	compar\$5 near6 MAC adj address adj3 device same MAC adj address adj2 router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 12:57
S86	2	"6931018".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 12:58
S87	0	decid\$5 with external with internal with network with MAC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:38

S88	81	external with internal with network with MAC with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:39
S89	0	external with internal with network same common near10 (gateway router) near10 MAC with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:45
S90	0	external with internal with network and common near10 (gateway router) near10 MAC with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:45
S91	0	indetify\$5 near10 network same common near10 (gateway router) near10 MAC with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:45
S92	0	identify\$5 near10 network same common near10 (gateway router) near10 MAC with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:45
S93	2113	retriev\$5 with cache with data with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:51
S94	1	retriev\$5 with cache with data with request same (server) near5 (faul\$5 repacement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:52
S95	2113	retriev\$5 with cache with data with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:53

S96	9	(retriev\$5 recover\$5) with cache adj data adj request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:53
S97	617877	retriev\$5 withdata with request same (server) near5 (faul\$5 repacement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:56
S98	14	retriev\$5 with data with request same (server) near5 (faul\$5 repacement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:56
S99	4	compar\$5 near6 MAC adj address and mutual near5 authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:04
S100	1	home near3 router near5 MAC adj address same authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:06
S101	22	router near5 MAC adj address same authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:06
S102	0	router near5 replac\$5 near5 MAC adj address same authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:21
S103	12	router adj2 MAC adj address same authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:21

S104	33	inter-device near5 authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:28
S105	2	"20040143662"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:50
S106	33	compar\$5 near6 MAC adj address with router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:55

8/28/2008 3:53:57 PM

 $C:\ \ Documents\ \ and\ \ Settings\ \ \ apatel3\ \ \ \ My\ \ Documents\ \ \ EAST\ \ \ \ \ \ \ 11520975.wsp$